Svensk Slamfärg Svart

Revision date: 20/10/2020

SECTION 1: Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier

Trade name: Svensk Slamfärg Svart

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Paint

1.3. Details of the supplier of the safety data sheet

Supplier

Company: Hagmans Nordic AB

 Address:
 Box 112

 Zip code:
 511 10

 City:
 Fritsla

 Country:
 SWEDEN

E-mail: info@hagmansnordic.com

Phone: +46(0)320-18900 Homepage: www.hagmans.com

1.4. Emergency Telephone Number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: The product shall not be classified as hazardous according to the classification and

labeling rules for substance and mixtures.

2.2. Label elements

P-phrases

EUH208

P102 Keep out of reach of children.

Supplemental information

Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-

isothiazol-3-one (3:1), 2-octyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one, 4,5-

dichloro-2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

VOC: This product contains a maximum of 130 g VOC/L. The limit value is 130 g VOC/L (cat. A/d)

2.3. Other hazards

Contains biocidal products: BIT, C(M)IT/MIT (3:1) Contains a biocidal product for the preservation of dry-film: OIT, DCOIT May produce an allergic reaction.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No	EC No	REACH Reg. No.	Concentration	Notes	CLP- classification
2-octyl-2H- isothiazol-3-one	26530-20-1	247-761-7	01-2120768921- 45	< 0.05%		Acute Tox. 4;H302 Acute Tox. 3;H311 Skin Corr. 18;H314 Skin Sens. 1;H317 Acute Tox. 3;H331 Aquatic Acute 1;H400 Aquatic Chronic 1;H410

Svensk Slamfärg Svart

Revision date: 20/10/2020

1,2- benzisothiazol- 3(2H)-one	2634-33-5	220-120-9	01-2120761540- 60	< 0.05%	Acute Tox. 4;H302 Skin Irrit. 2;H315 Skin Sens. 1;H317 Eye Dam. 1;H318 Aquatic Acute 1;H400 Aquatic Chronic 2;H411
4,5-dichloro-2- octyl-2H- isothiazol-3-one	64359-81-5	264-843-8		< 0.025%	Acute Tox. 4;H302 Skin Corr. 1B;H314 Skin Sens. 14;H317 Acute Tox. 2;H330 Aquatic Acute 1;H400 Aquatic Chronic 1;H410
reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	55965-84-9	611-341-5	01-2120764691- 48	< 0.0015%	Acute Tox. 3;H301 Acute Tox. 2;H310 Skin Corr. 1B;H314 Skin Sens. 1A;H317 Eye Dam. 1;H318 Acute Tox. 2;H330 Aquatic Acute 1;H400 Aquatic Chronic 1;H410

Please see section 16 for the full text of H-phrases.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: Seek fresh air.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

advice in case of persistent discomfort.

Skin contact: Remove contaminated clothing. Wash skin with soap and water. Seek medical advice in

case of persistent discomfort.

Eye contact: Flush with water (preferably using eye wash equipment) until irritation subsides. Seek

medical advice if symptoms persist.

General: When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

See section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: The product is not directly flammable. Choose extinguishing agents based on the

surrounding fire.

5.2. Special hazards arising from the substance or mixture

Can generate harmful flue gases containing carbon monoxide in the event of fire.

5.3. Advice for fire-fighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Svensk Slamfärg Svart

Revision date: 20/10/2020

For non-emergency personnel: Wear suitable protective clothing. Wear safety goggles if there is a risk of eye splash.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent, non-combustible material and transfer to suitable waste containers. Wipe up minor spills with a damp cloth. Rinse with water.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Provide good ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Keep in tightly closed original packaging. Store frost-free.

7.3. Specific end use(s)

No special uses in addition to identified uses in 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements

8.2. Exposure controls

Exposure controls: Do not eat, drink or smoke when using this product. Wash hands before breaks, before

using restroom facilities, and at the end of work.

Appropriate engineering

controls:

controls:

Provide good ventilation.

Personal protective equipment, Wear safety goggles if there is a risk of eye splash.

eye/face protection:

Personal protective equipment, Protective gloves (fluorocarbon rubber, 4H). Nitrile rubber.

hand protection:

Personal protective equipment, In case of insufficient ventilation, wear respiratory protective equipment.

respiratory protection:

Environmental exposure

Do not discharge into drains or watercourses or onto the ground. Ensure compliance with

local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter	Value/unit	
State	Viscous liquid.	
Colour	Black	
Odour	Mild	
Solubility	Miscible with the following: Water.	
Explosive properties	Non-explosive	

Svensk Slamfärg Svart

Revision date: 20/10/2020

Oxidising properties	Non-oxidising.		
Parameter	Value/unit	Remarks	
pH (solution for use)	5 - 7		
pH (concentrate)	No data		
Melting point	No data		
Freezing point	~ 0 °C	Water	
Initial boiling point and boiling range	~ 100 °C	Water	
Flash Point		Not relevant Water	
Evaporation rate	No data		
Flammability (solid, gas)		Non-flammable	
Flammability limits	No data		
Explosion limits	No data		
Vapour pressure	No data		
Vapour density	No data		
Relative density	No data		
Partition coefficient n-octonol/water	No data		
Auto-ignition temperature		Not relevant	
Decomposition temperature	No data		
Viscosity	No data		
Odour threshold	No data		

9.2 Other information

Parameter	Value/unit	Remarks
Density	1100-1200 kg/m³	

SECTION 10: Stability and reactivity

10.1. Reactivity

No known data.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known. Do not expose to heat (e.g. sunlight).

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None, if stored at the recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral: Based on existing data, the classification criteria are deemed not to have been met.

Ingestion of large quantities may cause discomfort.

Svensk Slamfärg Svart

Revision date: 20/10/2020

Acute toxicity - dermal: Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - inhalation: Based on existing data, the classification criteria are deemed not to have been met.

Skin corrosion/irritation: Has a caustic burning effect and causes burning pain, reddening, blistering and burning

sores if it comes in contact with skin.

Degreases and dries the skin. Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye

irritation:

Based on existing data, the classification criteria are deemed not to have been met.

Respiratory sensitisation or

skin sensitisation:

Based on existing data, the classification criteria are deemed not to have been met. The product contains small amounts of 1,2-benzisothiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1), 4,5-dichloro-2-octyl-2H-isothiazol-3-one. Persons with a known allergy may exhibit an allergic response to the product.

Germ cell mutagenicity: Based on existing data, the classification criteria are deemed not to have been met.

Carcinogenic properties: Based on existing data, the classification criteria are deemed not to have been met.

Reproductive toxicity: Based on existing data, the classification criteria are deemed not to have been met.

Single STOT exposure: Based on existing data, the classification criteria are deemed not to have been met.

Repeated STOT exposure: Based on existing data, the classification criteria are deemed not to have been met.

Aspiration hazard: Based on existing data, the classification criteria are deemed not to have been met.

SECTION 12: Ecological information

12.1. Toxicity

Based on existing data, the classification criteria are deemed not to have been met.

12.2. Persistence and degradability

Expected to be biodegradable.

12.3. Bioaccumulative potential

Not expected to bioaccumulate.

12.4. Mobility in soil

Dissolves in water .

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Collect spills and waste in closed, leak-proof containers for disposal at the local hazardous waste site. Uncleansed packaging is to be disposed of via the local waste-removal scheme. Avoid release to the environment.

Svensk Slamfärg Svart

Revision date: 20/10/2020

Category of waste: 08 01 12 waste paint and varnish other than those mentioned in 08 01 11

SECTION 14: Transport information

14.1. UN-No.: Not applicable. 14.4. Packing group: Not applicable. 14.5. Environmental

14.2. UN proper shipping

name:

Not applicable.

Not applicable.

hazards:

14.3. Transport hazard

class(es):

Not applicable.

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

SECTION 16: Other information

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

> our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on

preparation of safety data sheets in accordance with 1907/2006/EC (REACH) as

subsequently changed.

Vendor notes: Changes have been made in sections: 2, 3, 9, 11, 12, 16.

List of relevant H-statements

H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

Fatal if inhaled. H330 H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. H411

GB **Document language:**