

Colorex Älva Väggfärg

Replaces date: 22/02/2019 Revision date: 01/10/2020

SECTION 1: Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier

Trade name: Colorex Älva Väggfärg

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Paint

1.3. Details of the supplier of the safety data sheet

Supplier

Company: Hagmans Nordic AB

Address: Box 112
Zip code: 511 10
City: Fritsla
Country: SWEDEN

E-mail: info@hagmansnordic.com

Phone: +46 (0)320 18900 Homepage: www.colorex.se

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24))

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: The product shall not be classified as hazardous according to the classification and

labeling rules for substance and mixtures.

2.2. Label elements

P-phrases

P102 Keep out of reach of children.

Supplemental information

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one and 3-methyl-2-methyl-2-methyl-2-methyl-2-methyl-3-one and 3-methyl-2-methyl-3-one and 3-methyl-3-one and 3-methyl-3-m

isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray

or mist.

VOC: This product contains a maximum of 30 g VOC/L. The limit value is 30 g VOC/L (cat. A/a)

2.3. Other hazards

Contains a biocidal product: BIT, C(M)IT/MIT (3:1) May produce an allergic reaction.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No	EC No	REACH Reg. No.	Concentration	Notes	CLP- classification
-----------	--------	-------	----------------	---------------	-------	------------------------



Colorex Älva Väggfärg

Replaces date: 22/02/2019 Revision date: 01/10/2020

1,2- benzisothiazol- 3(2H)-one	2634-33-5	220-120-9		< 0.05%	Acute Tox. 4;H302 Skin Irrit. 2;H315 Skin Sens. 1;H317 Eye Dam. 1;H318 Aquatic Acute 1;H400 Aquatic Chronic 2;H411
reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)		611-341-5	01-2120764691- 48	< 0.0015%	Acute Tox. 3;H301 Acute Tox. 2;H310 Skin Corr. 1B;H314 Skin Sens. 1A;H317 Eye Dam. 1;H318 Acute Tox. 2;H330 Aquatic Acute 1;H400 Aquatic Chronic 1;H410

Please see section 16 for the full text of H-phrases.

Ingredient comments: Some products in this product range contain ≥1% titanium dioxide (13463-67-7). The

Annex VI classification of titanium dioxide does not apply to this mixture according to Note

10.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation: Seek fresh air.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Do not induce

vomiting. Seek medical advice in case of persistent discomfort.

Skin contact: Wash skin with soap and water.

Eye contact: Flush with water (preferably using eye wash equipment) until irritation subsides. Seek

medical advice if symptoms persist.

4.2. Most important symptoms and effects, both acute and delayed

The product contains a small amount of sensitising substance.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: The product is not directly flammable. Choose extinguishing agents based on the

surrounding fire.

5.2. Special hazards arising from the substance or mixture

Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released. Carbon monoxide and carbon dioxide.

5.3. Advice for fire-fighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Wear suitable protective clothing. In case of insufficient ventilation, wear respiratory

protective equipment. Keep unnecessary personnel away.



Colorex Älva Väggfärg

Revision date: 01/10/2020 Replaces date: 22/02/2019

6.2. Environmental precautions

Prevent discharges into the sewage system, watercourses or ground.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent, non-combustible material and transfer to suitable waste containers.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Store frost-free. Avoid direct sunlight.

7.3. Specific end use(s)

No special uses in addition to identified uses in 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements

8.2. Exposure controls

Appropriate engineering

eat, drink or smoke during work.

controls:

eye/face protection:

Personal protective equipment, Wear safety goggles if there is a risk of eye splash.

Personal protective equipment, In the event of direct skin contact, wear protective gloves: Type of material: Nitrile rubber.

Wash hands before breaks, before using restroom facilities, and at the end of work. Do not

hand protection:

Environmental exposure

Ensure compliance with local regulations for emissions.

controls:

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

or in morniation on basis physical and shormout proportios			
Parameter	Value/unit		
State	Viscous liquid.		
Colour	According to product specification		
Odour	Weak		
Solubility	Solubility in water: Soluble		
Explosive properties Non-explosive			
Oxidising properties Non-oxidising.			

Parameter	Value/unit	Remarks
pH (solution for use)	8 - 9	
pH (concentrate)		Not relevant
Melting point	No data	
Freezing point	~ 0 °C	Water.



Colorex Älva Väggfärg

Replaces date: 22/02/2019 Revision date: 01/10/2020

Initial boiling point and boiling range	~ 100	Water.	
Flash Point		Not applicable.	
Evaporation rate	No data		
Flammability (solid, gas)		Non-flammable	
Flammability limits	No data		
Explosion limits		Not applicable.	
Vapour pressure	No data		
Vapour density	No data		
Relative density	No data		
Partition coefficient n-octonol/water	No data		
Auto-ignition temperature	No data		
Decomposition temperature	No data		
Viscosity	> 20.5 mm2/s		
Odour threshold	No data		

9.2 Other information

Parameter	Value/unit	Remarks
Density	1000 - 1400 kg/m3	

SECTION 10: Stability and reactivity

10.1. Reactivity

Not reactive.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Protect from frost. Avoid direct sunlight.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral: Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - dermal: Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - inhalation: Based on existing data, the classification criteria are deemed not to have been met.

Skin corrosion/irritation: Based on existing data, the classification criteria are deemed not to have been met.

Can be irritating after prolonged skin contact.



Colorex Älva Väggfärg

Replaces date: 22/02/2019 Revision date: 01/10/2020

Serious eye damage/eye

irritation:

Based on existing data, the classification criteria are deemed not to have been met.

Temporary irritation.

Respiratory sensitisation or

skin sensitisation:

Based on existing data, the classification criteria are deemed not to have been met.

The product contains small amounts of reaction mass of 5-chloro-2-methyl-2H-isothiazol-3one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one. Persons with a

known allergy may exhibit an allergic response to the product.

Germ cell mutagenicity: Based on existing data, the classification criteria are deemed not to have been met.

Carcinogenic properties: Based on existing data, the classification criteria are deemed not to have been met.

Reproductive toxicity: Based on existing data, the classification criteria are deemed not to have been met.

Single STOT exposure: Based on existing data, the classification criteria are deemed not to have been met.

Repeated STOT exposure: Based on existing data, the classification criteria are deemed not to have been met.

Aspiration hazard: According to tests, the product need not be classified.

SECTION 12: Ecological information

12.1. Toxicity

Based on existing data, the classification criteria are deemed not to have been met.

12.2. Persistence and degradability

Test data are not available. Expected to be biodegradable.

12.3. Bioaccumulative potential

Test data are not available. No bioaccumulation expected.

12.4. Mobility in soil

No data is documented.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

None known.

name:

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Contact the local authorities. Empty, cleansed packaging should be disposed of for recycling.

Category of waste: 08 01 12 waste paint and varnish other than those mentioned in 08 01 11

15 01 02 plastic packaging

SECTION 14: Transport information

14.1. UN-No.: Not applicable. 14.2. UN proper shipping

Not applicable.

14.4. Packing group: 14.5. Environmental

Not applicable. Not applicable.

hazards:



Colorex Älva Väggfärg

Replaces date: 22/02/2019 Revision date: 01/10/2020

14.3. Transport hazard

class(es):

Not applicable.

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

SECTION 16: Other information

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with 1907/2006/EC (REACH) as

subsequently changed.

Vendor notes: Changes have been made in sections: 2, 3, 9, 11, 12, 16.

List of relevant H-statements

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

Document language: GB